

15.6" All-Aluminum Industrial Panel PC




產品特色

- ◆ 優雅且美觀的設計，適合融入任何零售或工業環境。
- ◆ 超窄邊框，帶來更乾淨的視覺體驗。
- ◆ 超薄外型設計，適合嵌入式安裝。
- ◆ 堅固的全鋁外殼，滿足零售和工業需求。
- ◆ 無風扇設計及無機械部件，確保最佳穩定性。
- ◆ 擁有1920x1080的高清解析度。
- ◆ 16:9顯示比例，適用於橫向或縱向顯示。
- ◆ 採用 Intel 第12代 CPU : Alder Lake N100。
- ◆ 配備DDR5記憶體，充分發揮最新CPU的強大效能。
- ◆ 前面板具備IP54防護等級。

Features

Intel's Cutting Edge N100 CPU

12th Gen
10nm
Technology




* Intel is a registered trademark of Intel Corp.


DDR5 RAM

Faster
Performance

Enhanced
Power Efficiency



High Performance



Fanless

6Watts
Low Power
Consumption




IP65 Front Panel




Slim & Stylish

With 7.5mm
at its slimmest




Broader & Cleaner View




Versatile VESA Mountings



I/O Ports



Dimensions



Technical Specifications

Model		PPC156
CPU		Intel Alder Lake N100 (4-Core, 3.4GHz, 6MB Cache)
System Memory		1 * DDR5, SO-DIMM (Max. 16GB)
Graphic		Intel UHD Graphics, 1.2GHz
Storage	SSD	1 * M.2 (Max. 512GB)
LCD	Size	15.6" TFT LCD
	Resolution	1920 * 1080
	Brightness	300 cd/m2 (Typ.)
	Contrast Ratio (Typ.)	800:1
	Viewing Angles (H/V)	170° / 170°
	MTBF	15,000 hrs (Min.)
Touch Screen	Type	10-Points Projected Capacitive
External I/O Port		4 * USB 3.2 Gen1
		2 * USB 3.2 Gen 2
		1 * COM (D-Sub RS232)
		1 * HDMI
		1 * LAN (RJ45, 2.5GbE Intel i226LM)
		1 * Line-Out (3.5mm)
		1 * Mic-In (3.5mm)
		1 * Reset
		1 * DC-In (5.5*2.5mm, Support 12~36VDC)
		1 * Power Button
Speaker		2 * 1Watt
Power		AC Power Adapter (19V/65W)
Environmental	Operating Temperature	0°C ~ 40°C
	Storage Temperature	-20°C ~ 60°C
	Operating Humidity	20% ~ 85% RH non-condensing
	Storage Humidity	20% ~ 85% RH non-condensing
Housing		Aluminum Alloy
OS Support		Windows® 11, Linux Fedora/CentOS/Ubuntu
Dimension (W * H * D)		357.1 * 214.2 * 32 mm
Weight (N.W./G.W.)		1.4Kgs / 2.5Kgs
Wall Mount (VESA)		75*75mm & 100*100mm

* Specification is subject to change without prior notice.